

## ABSORPTION SPECTROSCOPY IN THE 4.4-4.6 $\mu\text{m}$ INFRARED WAVELENGTH RANGE FOR THE 10 KHZ HIGH-SPEED MEASUREMENT OF CO AND CO<sub>2</sub> CONCENTRATIONS IN COMBUSTING ENVIRONMENTS.

MATTHEW L. FOTIA, *Advanced Concepts Group - Combustion Branch, Air Force Research Laboratory, Wright-Patterson AFB, OH, USA*; BRIAN C. SELL, JOHN HOKE, , *Innovative Scientific Solutions Inc., Dayton, OH, USA*; FRED SCHAUER, *Advanced Concepts Group - Combustion Branch, Air Force Research Laboratory, Wright-Patterson AFB, OH, USA*.

An instrument has been developed to make 10 kHz *in situ* combustion gas measurements of carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) concentrations. Operating in both the 4.40 and 4.58  $\mu\text{m}$  wavelength ranges allows for the fundamental molecular absorption bands of both molecules to be utilized.

Such concentration measurements allow for the determination of total combustion efficiency of a particular process, which has engineering implications when considering the energy available from a combustion process to be utilized for propulsion purposes.

A brief discussion of the initial calibration of the sensor with a calibrated diffusion flame, Hencken burner, and pressure-concentration cell is made with the main focus of the current work being the application of the instrument to examine the structure of propagating detonation waves.